

California Regional Water Quality Control Board
Santa Ana Region

ORDER NO. 01-40

Rescission of Waste Discharge Requirements
for
Specific Facilities

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The orders listed in Attachment "A" were issued by the Board at various times for the facilities described therein. Attachment "A" is hereby made a part of this order.
2. Waste discharge requirements for the facilities listed in Attachment "A" are no longer necessary because the facilities are no longer in operation, discharges from the facilities have been eliminated, or because the discharges from the facilities have no significant impact on the quality of waters in the area.
3. This action is based on the cessation of discharges of waste, which poses no significant adverse impact on the environment, or on the finding that specific discharges have no significant environmental impacts. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061 (b) (3), Chapter 3, Title 14 of the California Code of Regulations.
4. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the orders for the facilities listed in Attachment "A", and has provided them with an opportunity to submit written comments and recommendations.
5. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the orders listed in Attachment "A" be rescinded.

I, Gerard J. Thibeault, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on March 2, 2001.

Gerard J. Thibeault
Executive Officer

California Regional Water Quality Control Board
Santa Ana Region

March 2, 2001

Staff Report

ITEM: 5

SUBJECT: Rescission of Waste Discharge Requirements for Specific Facilities, Order
No. 01-40

DISCUSSION:

Waste discharge requirements for the facilities listed in Attachment "A" of Order No. 01-40 are no longer necessary because the facilities are no longer in operation, discharges from the facilities have been eliminated, or because discharges from the facilities have no significant impact on the quality of waters in the area.

RECOMMENDATION:

Adopt Order No. 01-40, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

State Water Resources Control Board, Office of the Chief Counsel, Ted Cobb
State Water Resources Control Board – James Kassel
State Department of Water Resources - Glendale
State Department of Health Services - San Bernardino, Kalyanpur Baliga
State Department of Health Services - San Diego, Toby Roy
San Bernardino County Department of Environmental Health Services- Pam Bennett
San Bernardino County Transportation/Flood Control District - Ken Guidry
Riverside County Department of Health
Riverside County Flood Control and Water Conservation District
Orange County Public Facilities & Resources Department
Orange County Water District – Nira Yamachika

ORDER NO. 01-40

Attachment "A"

SAN BERNARDINO COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
1.	86-30	Donald C. Hubbs Const. Rialto	Facility is no longer in operation

RIVERSIDE COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
2.	90-132	Royal Citrus Company Riverside	Insignificant threat to water quality
3.	97-49	Daytona Car Wash Calimesa	Facility is no longer in operation
4.	80-188	Bainbridge Invest., Inc. Lake Elsinore	Facility is no longer in operation
5.	75-229	Imco Recycling of CA Corona	Facility is no longer in operation

ORANGE COUNTY

	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
6	95-063	County of Orange	Dredging project is completed
7.	97-048	County of Orange	Ecosystem restoration project is completed